

Συμπληρωματικό υλικό

Μερτζανίδης Δ., Χανλίδου Ε., Κουρέας Δ., Καρούσου Ρ., Κοκκίνη Σ. 2014. Η αρωματική ποικιλότητα των φυτών «ρίγανης» και «θυμαριού». 36ο Επιστημονικό Συνέδριο της Ελληνικής Εταρείας Βιολογικών Επιστημών, Ιωάννινα, 8-10 Μαΐου 2014

Βιβλιογραφία

Adam K, Sivropoulou A, Kokkini S, Lanaras T, Arsenakis M (1998) Antifungal Activities of *Origanum vulgare* subsp. *hirtum*, *Mentha spicata*, *Lavandula angustifolia*, and *Salvia fruticosa* Essential Oils against Human Pathogenic Fungi. J Agric Food Chem 46:1739-1745

Aligiannis N, Kalpoutzakis E, Mitaku S, Chinou I (2001) Composition and Antimicrobial Activity of the Essential Oils of Two *Origanum* Species. J Agric Food Chem 49:4168-4170

Chorianopoulos N, Kalpoutzakis E, Aligiannis N, Mitakou S, Nychas GJ, Haroutounian S (2004) Essential Oils of *Satureja*, *Origanum*, and *Thymus* Species: Chemical Composition and Antibacterial Activities Against Foodborne Pathogens. J Agric Food Chem 52:8261-8267

Chorianopoulos NG, Giaouris ED, Skandamis PN, Haroutounian SA, Nychas GJE (2008) Disinfectant test against monoculture and mixed-culture biofilms composed of technological, spoilage and pathogenic bacteria: bactericidal effect of essential oil and hydrosol of *Satureja thymbra* and comparison with standard acid-base sanitizers. J Appl Microbiol 104:1586-1596

Daferera D, Ziogas B, Polissiou M (2000) GC-MS Analysis of Essential Oils from Some Greek Aromatic Plants and Their Fungitoxicity on *Penicillium digitatum*. J Agric Food Chem 48:2576-2581

Daferera D, Ziogas B, Polissiou M (2002) The effectiveness of plant essential oils on the growth of *Botrytis cinerea*, *Fusarium* sp. and *Clavibacter michiganensis* subsp. *michiganensis*. Crop Prot 22:39-44

Dardioti A, Hanlidou E, Lanaras T, Kokkini S (2010) The Essential Oils of the Greek Endemic *Satureja horvatii* ssp. *macrophylla* in Relation to Bioclimate Chem Biodivers 7:1968-1977

Dardioti A, Karousou R, Lanaras T, Kokkini S (2012) Diversity of *Satureja pilosa* subsp. *origanita* essential oils: A new “oregano” from East Mediterranean. Biochem Syst Ecol 40:178-183

Demo A, Petrakis C, Kefalas P, Boskou D (1998) Nutrient antioxidants in some herbs and Mediterranean plant leaves. Food Res Int 31:351-354

Dimopoulos P, Raus Th, Bergmeier E, Constantinidis Th, Iatrou G, Kokkini S, Strid A, Tzanoudakis D (2013) Vascular plants of Greece: An annotated checklist. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem; Athens: Hellenic Botanical Society. [Englera 31]

Economou G, Panagopoulos G, Tarantilis P, Kalivas D, Kotoulas V, Travlos IS, Polysiou M, Karamanos A (2011) Variability in essential oil content and composition of *Origanum hirtum* L., *Origanum onites* L., *Coridothymus capitatus* (L.) and *Satureja thymbra* L. populations from the Greek island Ikaria. Ind Crop Prod 33:236-241

Gotsiou P, Naxakis G, Skoula M (2001) Diversity in the composition of monoterpenoids of *Origanum microphyllum* (Labiatae). Biochem Syst Ecol 30:865-879

Gounaris Y, Skoula M, Fournaraki C, Drakakaki G, Makris A (2002) Comparison of essential oils and genetic relationship of *Origanum × intercedens* to its parental taxa in the island of Crete. Biochem Syst Ecol 30:249-258

Hanlidou E, Lazari D (2013) Essential oils of *Thymus leucospermus* Hartv. ig, a Greek endemic rich in phenolic monoterpenes. Nat Prod Res 27:1800-1803

Kadoglidiou K, Lagopodi A, Karamanolis K, Vokou D, Bardas A, Menexes G, Constantinidou HI (2011) Inhibitory and stimulatory effects of essential oils and individual monoterpenoids on growth and sporulation of four soil-borne fungal isolates of *Aspergillus terreus*, *Fusarium oxysporum*, *Penicillium expansum*, and *Verticillium dahliae*. Eur J Plant Pathol 130:297-309

Kanias G, Loukis A (1987) Determination and correlation of active constituents and trace elements in the medicinal plant *Thymus capitatus* Hoffm. and Link. Fresenius Z Anal Chem 327:335-357

Karagiannidis N, Thomidis T, Lazari D, Panou-Filotheou, Karagiannidou C (2011) Effect of three Greek arbuscular mycorrhizal fungi in improving the growth, nutrient concentration, and production of essential oils of oregano and mint plants. Sci Hortic 129:329-334

Karousou R, Kokkini S (2003) The genus *Origanum* (Labiatae) in Crete: distribution and essential oils. Bocconeia 16:717-721

Karousou R, Koureas D, Kokkini S (2005) Essential oil composition is related to the natural habitats: *Coridothymus capitatus* and *Satureja thymbra* in NATURA 2000 sites of Crete. Phytochemistry 66:2668-2673

Karpouhtsis I, Pardali E, Feggou E, Kokkini S, Scouras Z, Mavragani-Tsipidou P (1998) Insecticidal and Genotoxic Activities of Oregano Essential Oils. J Agric Food Chem 46:1111-1115

Katsiotis ST, Chatzopoulou P, Svendes B (1990) The essential oil of *Thymus sibthorpii* Benth. Growing Wild in Greece. Sci Pharm 58:303-306

Kokkini S, Karousou R, Dardioti A, Krigas N, Lanaras T (1996) Autumn essential oils of Greek Oregano. Phytochemistry 5:883-886

Kokkini S, Karousou R, Vokou D (1994) Pattern of Geographic Variation of *Origanum vulgare* Trichomes and Essential Oil Content in Greece. Biochem Syst Ecol 22:517-528

Kokkini S, Vokou D (1989) Carvacrol-rich Plants in Greece. Flavour Frag J 4:1-7

Kokkini S, Vokou D (1993) The Hybrid *Origanum × intercedens* from the Island of Nisyros (SE Greece) and its Parental Taxa; Comparative Study of Essential Oils and Distribution. Biochem Syst Ecol 21:397-403

Lagouri V, Blekas G, Tsimidou, Kokkini S, Boskou D (1993) Composition and antioxidant activity of essential oils from Oregano plants grown wild in Greece. Z Lebensm Unters Forsch 197:20-23

Liolios CC, Gortzi O, Lalas S, Tsaknis J, Chinou I (2009) Liposomal incorporation of carvacrol and thymol isolated from the essential oil of *Origanum dictamnus* L. and in vitro antimicrobial activity. Food Chem 112:77-83

Michaelakis A, Theotokatos S, Koliopoulos G, Chorianopoulos N (2007) Essential Oils of *Satureja* Species: Insecticidal Effect on *Culex pipiens* Larvae (Diptera: Culicidae). Molecules 12:2567-2578

Ntalli NG, Ferrari F, Giannakou I, Menkissoglu-Spiroudi U (2010) Phytochemistry and Nematicidal Activity of the Essential Oils from 8 Greek Lamiaceae Aromatic Plants and 13 Terpene Components. J Agric Food Chem 58:7856-7863

Papageorgiou VP, Argyriadou (1981) Trace constituents in the essential oil of *Thymus capitatus*. Phytochemistry 20:2298-2297

Pitarokili D, Constantinidis T, Saitanis C, Tzakou O (2014) Volatile Compounds in *Thymus* sect. *Teucroides* (Lamiaceae): Intraspecific and Interspecific Diversity, Chemotaxonomic Significance and Exploitation Potential. *Chem Biodivers* 11:593-618

Pitarokili D, Michaelakis A, Koliopoulos G, Giatropoulos A, Tzakou O (2011) Chemical composition, larvicidal evaluation, and adult repellency of endemic Greek *Thymus* essential oils against the mosquito vector of West Nile virus. *Parasitol Res* 109:425-430

Sivropoulou A, Papanikolau A, Nikolaou, C, Kokkini S, Lanaras T, Arsenakis M (1996) Antimicrobial and cytotoxic activities of *Origanum* essential oils *J Agric Food Chem* 44:1202-1205

Skoula M, Gotsiou P, Naxakis G, Johnson CB (1999) A chemosystematic investigation on the mono- and sesquiterpenoids in the genus *Origanum* (Labiatae). *Phytochemistry* 52:649-655

Skoula M, Grayer R (2005) Volatile oils of *Coridothymus capitatus*, *Satureja thymbra*, *Satureja spinosa* and *Thymbra calostachya* (Lamiaceae) from Crete. *Flavour Frag J* 20:573-576

Sokovic M, Tzakou O, Pitarokili D, Couladis M (2002) Antifungal activities of selected aromatic plants growing wild in Greece. *Nahrung* 46:317-320

Stefanakis M, Touloupakis E, Anastasopoulos E, Ghanotakis D, Katerinopoulos E, Makridis P (2013) Antibacterial activity of essential oils from plants of the genus *Origanum*. *Food control* 34:539-546

Tateo F, Mariotti M, Bononi M (1998) Essential Oil Composition and Enantiomeric Distribution of Some Monoterpene Components of *Coridothymus capitatus* (L.) Rchb. Grown on the Island of Kos (Greece). *J Essent Oil Res* 10:241-244

Tsimogiannis D, Stavrakaki M, Oreopoulou V (2006) Isolation and characterisation of antioxidant components from oregano (*Origanum heracleoticum*). *Int J Food Sci Technol* 41:39-48

Tzakou O, Constantinidis T (2005) Chemotaxonomic significance of volatile compounds in *Thymus samius* and its related species *Thymus atticus* and *Thymus parnassicus*. *Biochem Syst Ecol* 3:1131-1140

Tzakou O, Skalta H (2003) Composotion and Antibacterial Activity of the Essential Oil of *Satureja parnassica* subsp. *parnassica*. *Olanta Med* 69:282-284

Vokou D, Kokkini S, Bessiere JM (1993) Geographic Variation of Greek Oregano (*Origanum vulgare* ssp. *hirtum*) Essential Oils. *Biochem Syst Ecol* 2:287-295

Vokou D, Liotiri S (1999) Stimulation of soil microbial activity by essential oils. *Chemoecology* 9:41-45

Vokou D, Margaris NS (1986) Variation of Volatile Oil Concentration of Mediterranean Aromatic Shrubs *Thymus capitatus* Hoffmag et Link, *Satureja thymbra* L., *Teucrium polium* L. and *Rosmarinus officinalis*. *Int J Biometeor* 30:147-155

Vokou D, Tziolas M, Bailey Ser (1998) Essential-oil-mediated interactions between Oregano plants and Helicidae grazers. *J Chem Ecol* 24:1187-1202

Wogiatzi E, Gougoulias N, Papachatzis A, Vagelias I, Chouliaras N (2009) Chemical composition and antimicrobial effects of Greek *Origanum* species essential oil. *Biotechnol Biotechnol Equip* 23:1322-1324

